



## Business and Payment Terms

1 / PO(price offer) is included in the cost of transport of glass in the shape of an irregular site distribution in the case of coherent orders glass and one glass Infill fully extended vehicle without hydraulic arm (HR). In the case of transport by car with HR and HR use to assemble the Stand Additional charges will be added for the manipulation of the stands in. the amount of € 36.00 / hour. and waiting time vehicles in the amount of € 17.00 / hour. Minimum charging unit in both cases is 0.5 hours.

2 / PO is including energy surcharges, the amount of which to date Cini € 0.124 / kg of glass. In the event of enamel treated by the manufacturer at the time the contract will be charged according to local rate.

3 / Payment conditions: payment to the quote. All prices refer to the PO are without VAT!

4 / Delivery time will follow the agreed delivery schedules. general delivery times (reckoned from the date of receipt of a seriously order or delivery of glass from the manufacturer in stock):

- 5-10 working days to standard insulating glass
- 10-15 working days to toughened and laminated safety glass
- 15-20 working days for special insulation glass (consisting of toughened or laminated glass, structural insulating glass, etc.).

5 / area calculations is calculated with rounding to the cell dimensions cm upwards. Minimum charged area is 0.4 m<sup>2</sup> / unit.

6 / Our PO is valid for 30 days. When changing the size, or the number of lenses it is necessary PO update!

7 / We ask you in future correspondence and orders indicated offer number! If the orders will be without the offer number, then the order will be processed and billed in prices by a currently valid general price list.

8 / transport racks are loaned free of charge for a maximum of one month from the date of delivery.

9 / In the case of the supply of glass for the building, if required permission and consent of the data organizations and individuals achieve them ordering!

10./ insulating glass are calculated and manufactured in composite according to customer requirements, TITO spol r.o. therefore not responsible for any failure to comply with the conditions laid down technical standards and other regulations.

11./ Ug-value = 1.1 W / m<sup>2</sup> ° K when using 16 mm edge spacer / Argon applicable to vertically glazing.

12./ calculated glass in CP are not static counted!

13./ glass type ESG (thermal prestressing, or otherwise cooked) are produced in accordance

with standard STN EN 12150. In all thermal preload glasses (incorrectly also called "Hardened") there is a risk of spontaneous explosion in the action of sulfide crystals nickel. This risk can be significantly reduced (the level cca.1%) transferring heat stabilization assay, called. HS-test. If it is thermally prestressed glass ordered without HS test, it is not possible to provide a guarantee against such spontaneously bursting glass. Surcharge for HS assays is € 13.00 / m<sup>2</sup> and can be technologically implemented in dimension 2580x6000 mm! Eventual spontaneous Explozia thermally prestressed glass is not a reason to complaints!

14./ When laminated safety glasses (VSG) made of sheet tempered or otherwise thermally prestressed glass (ESG, TVG) is each individual pane of glass especially before grinding heat edit. It is therefore necessary to envisage the possible protruding edges of the STN EN ISO 12543-5; further it is to be expected with a normal phenomenon "V-nut" as a result of Double sided machining the edges to each pane thermally prestressed glass.

15./ If the customer falls for aesthetic reasons not suitable for structurally glazing design uses black edge spacer, it is possible for such glasses apply screen printing black Colour 20 mm wide, which serves to cover standard sized sealer. Surcharge for such services was € 9.00 / m lengths of glass with application of screen printing.

16./ In the case of structural sealing of UV-stable silicone is not possible to fill Argonne for area between glasses, it is possible that these lenses changes the values of  $U_g = 1.4 \text{ W / m}^2 \text{ }^\circ \text{K}$ .

17./ In the case of glass structures with the requirements for noise attenuation coefficient  $R_w$ , we possess certificates, testing and conformity declaration from the manufacturer of general glass. They have been tested in the EU and self declaration of conformity processors and manufacturers insulating glass. We do not have certificates and tests that were carried out by the Slovakia TSÚS N.O. .

18./ glasses in PO are calculated as rectangular, unless stated otherwise. When the glasses atypical shape the methodology for calculating the following: It is calculated nearest rectangular min. area multiplied by the respective bonuses in% according to the table shapes in the price list or% increases referred to in PO.

19./ when ordering enamelled (emails, window glass) is at least a single application order quantity of 50 m<sup>2</sup>. In the case of flat glass orders reached unversioned the border shall be recorded one-time fee for each dye in the amount of € 400.00 without VAT! We also want to make customers aware that a request of such lenses announced in advance, as the absence of the desired color is not in stock at the plant, delivery dates for deliveries color is at least 6 weeks!

20./ enamelled glass are considered sills, should therefore be at the testing and trialling use a black background. When light rays passing through the coloring enamelled glass on glass can seem like inhomogeneities, and may be for him with the maps and pictures of star shapes, possibly minor spots of color than the rest.

21./ ordering printed glass (glass with screen printing or digital printing) is requires the written consent is ordering a sample in the form of 1: 1 according to the order, which is drawn up before the start of series production. For possible deviations in the color, error associated with the technical procedure of the manufacturer makes no warranty!

22./ For the production of colored glass (enameled and printed) is the maximum difference color shade between the sample and the glass delivery  $\Delta E = 2nd$

23./ At the customer's request we can arrange production and delivery of sample colored glass. The customer will be invoiced and in case of ordering glasses according PO the value for the sample invoices for supplies glass will be like a credit note.

**TITO<sup>®</sup>**

Office:

TITO s.r.o.  
Rozvojová 2  
Administratívna budova  
Košice 040 11

Billing information:

TITO s.r.o.  
Bruselská 7  
040 13 Košice  
IČO: 439 207 48  
DIČ: 2022521072  
IČ DPH: SK 2022521072  
ORSR Ke 1, vložka číslo: 21102/V  
e-mail: [tito@ti-to.sk](mailto:tito@ti-to.sk)  
www: [ti-to.sk](http://ti-to.sk)